DEPARTMENT of ENVIRONMENTAL SERVICES Water Supply & Pollution Control Division - Biology Bureau

LAKE TROPHIC DATA

MORPHOMETRIC:

Lake: GREENWO	OD POND	Lake Area (ha):	20.03
Town:	KINGSTON	Maximum depth (m):	3.6
County:	Rockingham	Mean depth (m):	2.1
River Basin:	Merrimack	Volume (m³):	424500
Latitude:	42°56'12" N	Relative depth:	0.7
Longitude:	71°03'43" W	Shore configuration:	1.32
Elevation (ft	.): 123	Areal water load (m/yr)	: 2.95
Shore length	(m): 2100	Flushing rate (yr^{-1}) :	1.40
Watershed are	a (ha): 131.6	P retention coeff.:	0.75
% watershed p	onded: 0.0	Lake type:	natural

BIOLOGICAL:	24 January 1996	19 July 1995
DOM. PHYTOPLANKTON (% TOTAL) #1	MALLOMONAS 35%	CERATIUM 60%
#2		DINOBRYON 25%
#3		OSCILLATORIA 5%
PHYTOPLANKTON ABUNDANCE (units/mL)		
CHLOROPHYLL-A (µg/L)		6.38
DOM. ZOOPLANKTON (% TOTAL) #1	BOSMINA 32%	POLYARTHRA 45%
#2	KERATELLA 25%	DIAPHANOSOMA 18%
#3	NAUPLIUS LARVA 25%	CALANOID COPEPOD 14%
ROTIFERS/LITER	42	333
MICROCRUSTACEA/LITER	61	276
ZOOPLANKTON ABUNDANCE (#/L)	106	643
VASCULAR PLANT ABUNDANCE		Common/Abun
SECCHI DISK TRANSPARENCY (m)		2.4
BOTTOM DISSOLVED OXYGEN (mg/L)	5.6	3.1
BACTERIA (E. coli, #/100 ml) #1		5
#2		93
#3		

SUMMER THERMAL STRATIFICATION:

not stratified

Depth of thermocline (m): None Hypolimnion volume (m^3) : None Anoxic volume (m^3) : None

CHEMICAL:			GREENWOOD KINGSTON	POND	
	24 January 1996		19 July 1995		
DEPTH (m)	1.0	3.0	1.0		2.0
pH (units)	6.1	6.3	7.0		7.2
A.N.C. (Alkalinity)	10.4	13.7	15.1		15.2
NITRATE NITROGEN	0.10	0.12	< 0.10		< 0.10
TOTAL KJELDAHL NITROGEN	0.79	0.91	0.45		0.46
TOTAL PHOSPHORUS	0.019	0.016	0.022		0.027
CONDUCTIVITY (µmhos/cm)	122.7	139.0	128.3		129.5
APPARENT COLOR (cpu)	65	55	50		50
MAGNESIUM			1.55		
CALCIUM			8.0		
SODIUM			14.6		
POTASSIUM			2.10		
CHLORIDE	22	26	27		27
SULFATE			7		7
TN : TP	47	64	20		17
CALCITE SATURATION INDEX			2.2		


All results in mg/L unless indicated otherwise

TROPHIC CLASSIFICATION: 1995

D.O.	S.D.	PLANT	CHL	TOTAL	CLASS
**	3	4	1	8	Meso.

COMMENTS:

- 1. Also known as Greenwood "Lake".
- 2. This pond was previously surveyed and classified in 1982. It was rated eutrophic in 1982. The chlorophyll was less and the water clarity greater in 1995. A weak thermal stratification was also present in 1982, accompanied by depleted oxygen in the bottom waters. More frequent sampling is needed to determine if these differences are real or normal yearly variations.
- 3. Chloride, sodium and conductivity values suggest that road salt runoff enters the pond. The values for these parameters were higher than in 1982.



FIELD DATA SHEET

LAKE: GREENWOOD POND
DATE: 07/19/95
TOWN: KINGSTON
WEATHER: SUNNY, FEW CLOUDS

DATE: 07/19/93	WEAT	TER. SUNNI, PEW CLC	מעטי
DEPTH (M)	TEMP (°C)	*DISSOLVED OXYGEN	OXYGEN SATURATION
0.1	23.4	7.1	83 %
0.5	23.4	7.0	82 %
1.0	23.4	6.9	79 %
1.5	22.6	6.6	78 %
2.0	22.4	6.0	69 %
2.5	22.0	5.3	60 %
3.0	21.8	3.1	35 %
		1, 779	
			A Committee of the Comm
	1		
/			

SECCHI DISK (m): 2.4 COMMENTS:

BOTTOM DEPTH (m): 3.4

TIME: 1300

*Dissolved oxygen values are in mg/L

AQUATIC PLANT SURVEY

LAKE: GREENWOOD POND		TOWN: KINGSTON	DATE: 07/19/95	
Key	PLANT NAME			
кеу	GENERIC	COMMON	ABUNDANCE	
e	Elodea nuttallii	Waterweed	Common/Abun	
L	Chamaedaphne calyculata	Leatherleaf	Scattered	
В	Brasenia schreberi	Water shield	Scattered	
W	Potamogeton nodosus	Pondweed	Common	
N	Nymphaea	White water lily	Scat/Common	
R	Potamogeton robbinsii	Robbins pondweed	Scattered	
ט	Utricularia	Bladderwort	Scattered	
P	Pontederia cordata	Pickerelweed	Scat/Common	
Y	Nuphar	Yellow water lily	Common	
D	Decodon verticillatus	Swamp loosestrife	Common/Abun	
С	Ceratophyllum demersum	Coontail	Sparse	
Т	Typha	Cattail	Scattered	
а	Potamogeton amplifolius	Bass weed	Scattered	
g	Myrica gale	Sweet gale	Scattered	
b	Cyperaceae	non-flowering sedge	Sparse	
f	Potamogeton natans	Floating-leaf pondweed	Sparse	
d	Potamogeton diversifolius	Pondweed	Sparse	
E	Eriocaulon septangulare	Pipewort	Sparse	

OVERALL ABUNDANCE: Common/Abun

GENERAL OBSERVATIONS:

- 1. Elodea was present throughout the pond.
- 2. Filamentous green algae were common over most of the bottom and clinging to much of the *Elodea*.